



Flight
LT - **CR0824UB-**
80x25 **A71GL** **-032742-** **No**

(Family) (Model) (Part #) (In Stock)

Electrical Specifications

Operating Voltage:	24 Volts
Voltage Range:	21.6 - 26.4 Volts
Power Supply:	6.2 Watts
Line Current:	0.26 Amps
Locked Rotor Current	0.26 Amps
Nominal Speed:	3550 RPM

Mechanical Specifications

Dimensions:	3.1 x 3.1 x 1.0 in
Weight	3.03 oz
Max Airflow @ 0 in H ₂ O	50.0 CFM
Max Pressure @ 0 CFM	0.203 in H ₂ O
Noise	41.0 dBA



Mechanical Drawing



Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Monday, February 18, 2008 at 06:04:38 - DC Fan Datasheet - Web Version 1.0 Rev. B

Fan Performance Curve

Fan Configuration Options

Flight LT 80x25
(Family)

CR0824UB-A71GL
(Model)

/ 032742
(Part #)

No
(In Stock)

Fan Speed:	3550 RPM	Fan Bearings:	Ball Bearings
Fan Airflow Direction:	Flow R (CCW Rotation)	Fan Termination:	Leads

Fan Monitoring Options: No Fan Monitoring Options Selected

Fan Speed Control Option: No ThermaPro-V Fan Speed Control Options Selected

Environmental Protection Options: No Enviroshield Options Selected

Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Monday, February 18, 2008 at 06:04:38 - DC Fan Datasheet - Web Version 1.0 Rev. B

Accessories [\(Click on part number for detailed drawing.\)](#)

554141
Filter Guard Assembly



550648
Finger Guard



476143
Finger Guard



Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Monday, February 18, 2008 at 06:04:38 - DC Fan Datasheet - Web Version 1.0 Rev. B