


# PICMG Bus




## HPCI-2SD v0.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 1
- ▶ AT power connector
- ▶ Double-sided
- ▶ 264.1 x 39 mm



## HPCI-2SD v1.3

- ▶ PICMG slot x 1
- ▶ PCI slot x 1
- ▶ ISA slot x 1
- ▶ AT/ATX power connector
- ▶ Double-sided
- ▶ 260.99 x 39 mm



## HPCI-2SP v1.1

- ▶ PICMG slot x 1 or PCI-ISA slot x 1
- ▶ PCI slot x 1
- ▶ ATX power connector
- ▶ Double-sided
- ▶ 264.1 x 45 mm



## HPCI-3SD v1.1

- ▶ PCI slot x 4
- ▶ AT/Fan power connector
- ▶ Double-sided
- ▶ 260.99 x 40.08 mm



## HPCI-4S v6.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 3
- ▶ AT power connector
- ▶ 264.16 x 92.27 mm



## HPCI-4S v6.1

- ▶ PICMG slot x 1
- ▶ PCI slot x 3
- ▶ AT/ATX power connector
- ▶ 264.16 x 92.27 mm




## HPCI-5S v6.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 2
- ▶ ISA slot x 2
- ▶ AT power connector
- ▶ 254.79 x 110.01 mm



## HPCI-5S v6.2


- ▶ PICMG slot x 2
- ▶ PCI slot x 3
- ▶ ISA slot x 1
- ▶ AT/ATX/Fan power connector
- ▶ 254.79 x 110.01 mm



## HPCI-5SD v1.0


- ▶ PICMG slot x 1
- ▶ PCI slot x 2
- ▶ ISA slot x 1
- ▶ AT power connector
- ▶ Double-sided
- ▶ 260.99 x 79.51 mm

# PICMG Bus



## HPCI-6S v6.1

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 1
- ▶ AT/ATX/Fan power connector
- ▶ 264.1 x 132.72 mm



## HPCI-6S v6.2

- ▶ PICMG slot x 2
- ▶ PCI slot x 3
- ▶ ISA slot x 2
- ▶ AT/ATX/Fan power connector
- ▶ 264.1 x 132.72 mm



## HPCI-6S2 v0.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 4
- ▶ ISA slot x 1
- ▶ AT/ATX/Fan power connector
- ▶ 264.16 x 149.99 mm



## HPCI-6SD v1.1

- ▶ PICMG slot x 1
- ▶ PCI slot x 2
- ▶ ISA slot x 3
- ▶ AT power connector
- ▶ Double-sided
- ▶ 260.99 x 79.51 mm




## HPCI-6SD2 v0.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 4
- ▶ ISA slot x 1
- ▶ AT/ATX power connector
- ▶ Double-sided
- ▶ 260.99 x 79.51 mm



## HPCI-6SD3 v0.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 3
- ▶ ISA slot x 2
- ▶ AT/ATX power connector
- ▶ 261.0 x 79.51 mm



## HPCI-6SD5 v1.0

- ▶ PICMG slot x 1
- ▶ PCI slot x 5
- ▶ AT/ATX/Fan power connector
- ▶ Double-sided
- ▶ 305.75 x 79.51 mm



## HPCI-7S v6.1


- ▶ PICMG slot x 1
- ▶ PCI slot x 3
- ▶ ISA slot x 3
- ▶ AT/ATX/Fan power connector
- ▶ 264.16 x 149.99 mm



## HPCI-8S v6.0

- ▶ PICMG slot x 2
- ▶ PCI slot x 3
- ▶ ISA slot x 3
- ▶ AT power connector
- ▶ 264.16 x 217.96 mm

# PICMG Bus




## HPCI-8S v6.1

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 3
- ▶ AT/ATX/Fan power connector
- ▶ 264.16 x 217.96 mm




## HPCI-10S v6.1

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 4
- ▶ AT/ATX/Fan power connector
- ▶ 264.16 x 221.56 mm




## HPCI-12S v6.1

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 6
- ▶ AT/ATX/Fan power connector
- ▶ 270.51 x 264.16 mm




## HPCI-13SD v6.1

- ▶ PICMG slot x 3
- ▶ PCI slot x 6
- ▶ ISA slot x 4
- ▶ AT/ATX/Fan power connector
- ▶ Dual segmentation (7+6)
- ▶ 311.15 x 264.16 mm




## HPCI-14S v6.6

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 8
- ▶ AT/ATX/Fan power connector
- ▶ 311.15 x 264.16 mm




## HPCI-14S2 v6.2

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 8
- ▶ AT/ATX/Fan power connector
- ▶ 311.15 x 264.16 mm




## HPCI-14S4 v1.1

- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 8
- ▶ AT/ATX/Fan power connector
- ▶ 311.15 x 264.16 mm



## HPCI-15S v1.0


- ▶ PICMG slot x 2
- ▶ PCI slot x 4
- ▶ ISA slot x 9
- ▶ AT/ATX/Fan power connector
- ▶ 316.15 x 264.16 mm



## HPCI-16SQ v1.0


- ▶ PICMG slot x 8
- ▶ PCI slot x 13
- ▶ AT/ATX/Fan power connector
- ▶ Quad segmentation (6+5+5+5)
- ▶ 415.93 x 264.16 mm

# PICMG Bus




## HPCI-16SQ1 v1.0

- ▶ PICMG slot x 8
- ▶ PCI slot x 13
- ▶ AT/ATX/Fan power connector
- ▶ Quad segmentation (6+5+5+5)
- ▶ Four independent power On/Off control
- ▶ 415.93 x 264.16 mm




## HPCI-17SQ v6.0

- ▶ PICMG slot x 4
- ▶ PCI slot x 9
- ▶ ISA slot x 4
- ▶ AT power connector
- ▶ Quad segmentation (5+4+4+4)
- ▶ 415.93 x 264.16 mm



## HPCI-18SD v6.1

- ▶ PICMG slot x 4
- ▶ PCI slot x 8
- ▶ ISA slot x 6
- ▶ AT/ATX/Fan power connector
- ▶ Dual segmentation (9+9)
- ▶ 415.93 x 264.16 mm




## HPCI-19S v6.1

- ▶ PICMG slot x 3
- ▶ PCI slot x 4
- ▶ ISA slot x 12
- ▶ AT/ATX/Fan power connector
- ▶ 415.93 x 264.16 mm




## 4PS1 v1.1

- ▶ PICMG slot x 1
- ▶ PCI slot x 4
- ▶ AT power connector
- ▶ Double-sided
- ▶ 260.99 x 79.51 mm



## HPP-6S v1.0

- ▶ PCI slot x 6
- ▶ Double-sided
- ▶ PCI Bridge controller
- ▶ PCI Bus interface
- ▶ 192.06 x 91.97 mm




## HPP-8S2 v1.1

- ▶ PICMG slot x 2
- ▶ PCI slot x 7
- ▶ AT/ATX/Fan power connector
- ▶ PCI Bridge controller
- ▶ 264.13 x 217.99 mm



## HPP-10S v1.1


- ▶ PICMG slot x 2
- ▶ PCI slot x 9
- ▶ AT/ATX power connector
- ▶ PCI Bridge controller
- ▶ 264.16 x 221.56 mm



## HPP-14S v2.5


- ▶ PICMG slot x 2
- ▶ PCI slot x 7
- ▶ ISA slot x 5
- ▶ AT/ATX power connector
- ▶ PCI Bridge controller
- ▶ 311.12 x 264.13 mm

# PICMG Bus




## HPP-14S1 v1.3

- ▶ PICMG slot x 2
- ▶ PCI slot x 12
- ▶ ISA slot x 1
- ▶ AT/ATX/Fan power connector
- ▶ PCI Bridge controller
- ▶ 313 x 264.19 mm




## HPP-14S2 v1.0

- ▶ PICMG slot x 2
- ▶ PCI slot x 11
- ▶ ISA slot x 2
- ▶ AT/ATX/Fan power connector
- ▶ PCI Bridge controller
- ▶ 313 x 264.13 mm




## HPP-19S v1.0

- ▶ PICMG slot x 2
- ▶ PCI slot x 10
- ▶ ISA slot x 7
- ▶ AT/ATX power connector
- ▶ PCI Bridge controller
- ▶ 415.93 x 264.16 mm




## HPP-20S v1.0

- ▶ PICMG slot x 2
- ▶ PCI slot x 19
- ▶ AT/ATX/Fan power connector
- ▶ Dual PCI Bridge controller
- ▶ 415.93 x 264.16 mm



## HPP-20S1 v1.0

- ▶ PICMG slot x 2
- ▶ PCI slot x 18
- ▶ ISA slot x 1
- ▶ AT/ATX/Fan power connector
- ▶ Dual PCI Bridge controller
- ▶ 415.93 x 264.16 mm



## HPP-20S2 v0.0

- ▶ PICMG slot x 2
- ▶ PCI slot x 12
- ▶ ISA slot x 6
- ▶ AT/ATX/Fan power connector
- ▶ Dual PCI Bridge controller
- ▶ 415.93 x 264.16 mm