



Flight
LT - **CR0605HB-**
60x15 **D71GL** **-032682-** **No**

(Family) (Model) (Part #) (In Stock)

Electrical Specifications


Operating Voltage:	5 Volts
Voltage Range:	4.5 - 5.5 Volts
Power Supply:	1.9 Watts
Line Current:	0.37 Amps
Locked Rotor Current	0.37 Amps
Nominal Speed:	4500 RPM

Mechanical Specifications

Dimensions:	2.4 x 2.4 x 0.6 in
Weight	1.34 oz
Max Airflow @ 0 in H ₂ O	16.6 CFM
Max Pressure @ 0 CFM	0.150 in H ₂ O
Noise	32.4 dBA



Mechanical Drawing



Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Monday, February 18, 2008 at 05:44:26 - DC Fan Datasheet - Web Version 1.0 Rev. B

Fan Performance Curve

Fan Configuration Options

Flight LT 60x15
(Family)

CR0605HB-D71GL
(Model)

/ 032682
(Part #)

No
(In Stock)

Fan Speed:	4500 RPM	Fan Bearings:	Ball Bearings
Fan Airflow Direction:	Flow R (CCW Rotation)	Fan Termination:	Leads

Fan Monitoring Options: No Fan Monitoring Options Selected

Fan Speed Control Option: No ThermaPro-V Fan Speed Control Options Selected

Environmental Protection Options: No Enviroshield Options Selected

Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com


Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Monday, February 18, 2008 at 05:44:26 - DC Fan Datasheet - Web Version 1.0 Rev. B

Accessories [\(Click on part number for detailed drawing.\)](#)


557239

Filter Guard Assembly



572621

Finger Guard



Comair Rotron, Inc.

Phone: 858.348.6200

sales@comairrotron.com

Comair Rotron Europe, Ltd.

Phone: +44.1527.520525

saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.

Phone: +86.21.52260581

salesasia@comairrotron.com

Print Date: Monday, February 18, 2008 at 05:44:26 - DC Fan Datasheet - Web Version 1.0 Rev. B