

Part/Model #
Stock Check
Cross-Reference
Keyword







Flight LT
60x10 **-CR0605HB-G90-032664-** **Yes**
(Family) (Model) (Part #) (In Stock)

Electrical Specifications

Operating Voltage:	5 Volts
Voltage Range:	4.5 - 5.5 Volts
Power Supply:	1.4 Watts
Line Current:	0.28 Amps
Locked Rotor Current	0.28 Amps
Nominal Speed:	4200 RPM

Mechanical Specifications

Dimensions:	2.4 x 2.4 x 0.4 in
Weight	1.1 oz
Max Airflow @ 0 in H₂O	17.0 CFM
Max Pressure @ 0 CFM	0.113 in H₂O
Noise	32.8 dBA

			
	Detailed Drawing		Printer-Friendly Datasheet

Mechanical Drawing

- [More Products](#)
- [Heat Sinks](#)
- [Fan Accessories](#)
- [Engineering Tools](#)
- [Airflow Calculator](#)
- [Thermal Calculator](#)
- [Unit Conversions](#)
- [Application Notes](#)
- [Custom Solutions](#)
- [Company Info](#)
- [Contact Info](#)
- [Technical Capability](#)
- [Certifications](#)
- [Terms & Conditions](#)
- [Employment Ops](#)

[Gateway Online](#)



Fan Performance Curve

Fan Configuration Options


Flight LT 60x10 (Family)	CR0605HB-G90 (Model)	/ 032664 (Part #)	<u>Yes</u> (In Stock)
Fan Speeds	Fan Bearings	Fan Airflow Directions	Fan Terminations
High Speed (4200 RPM)	Ball Bearings	Flow L (CW Rotation)	Leads
Medium Speed (3600 RPM)	Sleeve Bearings	Flow R (CCW Rotation)	Terminals
Low Speed (3000 RPM)			

Fan Monitoring Options


- No Tachometer Required
- Add Open Collector Tachometer Output

Accessories [\(Click on part number for detailed drawing.\)](#)

557239
Filter Guard Assembly



572621
Finger Guard



Phone: 858.348.6200
FAX: 858.566.4577
sales@comairrotron.com

Phone: 972.312.8609
FAX: 972.312.8617
info@thermaflo.com

Phone: +44.1527.520525
FAX: +44.1527.520565
saleseurope@comairrotron.com

Phone: +86.21.52260581
FAX: +86.21.52260597
salesasia@comairrotron.com